



WOOD PLASTIC COMPOSITES
GREEN OUTDOOR LIFE

WOOD PLASTIC COMPOSITES



Wood-plastic composites are composite materials made of woodfour and plastic .

- Natural feel & wood touch
- Require less routine maintenance
- No need staining & water sealant
- High strength & high impact resistance
- Environment-friendly
- Made from 100% recycled material

FIVE PRODUCT ADVANTAGES




PRODUCT CATALOG


PRODUCT STRUCTURE	02
HOLLOW FLOOR SERIES...	03
WOOD-PLASTIC SOLID FLOOR SERIES	11
WOOD-PLASTIC SOLID FLOOR SERIES	17
(SECOND GENERATION)	
WALLBOARD SERIES	19
(SECOND GENERATION)	
OUTDOOR FENCE SERIES	23
COLUMN、 GUARDRAIL GALLERY FRAME、 SERIES ...	26
SAUNA BOARD SERIES	35
DIY DECKING	39
BENCH BAR SERIES	41
OTHER SERIES SERIES	45
FENCE INSTALLATION PROCESS	47
OUTDOOR FLOOR INSTALLATION PROCESS	48
FIRST-GENERATION PRODUCT	50
SECOND GENERATION PRODUCT...	52

GREEN OUTDOOR LIFE

- Eco Friendly
- Comfortable and Convenient
- Healthy and Enjoyable



WPC - CO - EXTRUSION



SHIELD

The Shield is made form a kind of superior performance engineer- ing pla stic.This kind of plaslic cover all four sides of docking,give docking surper prolection.

The Shield ensures its color stays much longer compared to conventional composite decking

The shield provdes an impermeable layer, can prevents mold and mildew from growing

The Shield makes decking easy to clean and low maintenance. Wine. coffee, soy sauco, vegetable oil elc cannot slain the board.

CORE

The core is 100%ECO and environment friendiy.

The core is more durability than normal composite decking





HOLLOW FLOOR SERIES

HOLLOW FLOOR

Classic Decking is perfect for building the place you are surrounded by your own style, but not confused about maintenance concerns. Attractive, easy install and slip-resistance walking surface.



K135-25A

WIDTH(MM): 135
THICKNESS(MM): 25
WEIGHT(KG/M): 2.45




K135-25B

WIDTH(MM): 135
THICKNESS(MM): 25
WEIGHT(KG/M): 2.53




K135-25C

WIDTH(MM): 135
THICKNESS(MM): 25
WEIGHT(KG/M): 2.44



K140-20A

WIDTH(MM): 140
THICKNESS(MM): 20
WEIGHT(KG/M): 2.04






HOLLOW FLOOR

K140-25A

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.28



K140-25G

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.41




K140-25L

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.5




K140-25N

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.41




K140-25P

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.7




K140-25R

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.47



K145-20A

WIDTH(MM): 145
THICKNESS(MM): 20
WEIGHT(KG/M): 2.12



K140-25B


WIDTH(MM): 145
THICKNESS(MM): 25
WEIGHT(KG/M): 2.57



HOLLOW FLOOR


K145-25D

WIDTH(MM): 145
THICKNESS(MM): 25
WEIGHT(KG/M): 2.58




K146-24A

WIDTH(MM): 146
THICKNESS(MM): 24
WEIGHT(KG/M): 2.38




K146-25A

WIDTH(MM): 146
THICKNESS(MM): 25
WEIGHT(KG/M): 2.72




K146-25B

WIDTH(MM): 146
THICKNESS(MM): 25
WEIGHT(KG/M): 2.9




K150-25C

WIDTH(MM): 150
THICKNESS(MM): 25
WEIGHT(KG/M): 2.75




K150-20A

WIDTH(MM): 150
THICKNESS(MM): 20
WEIGHT(KG/M): 2.18




K150-25A

WIDTH(MM): 150
THICKNESS(MM): 25
WEIGHT(KG/M): 2.8



K150-25B

WIDTH(MM): 150
THICKNESS(MM): 25
WEIGHT(KG/M): 2.5






HOLLOW FLOOR


K140-30A

WIDTH(MM): 140
THICKNESS(MM): 30
WEIGHT(KG/M): 2.63




K138-39A

WIDTH(MM): 138
THICKNESS(MM): 39
WEIGHT(KG/M): 3.29




K145-30B

WIDTH(MM): 145
THICKNESS(MM): 30
WEIGHT(KG/M): 3.15




K150-25E

WIDTH(MM): 150
THICKNESS(MM): 25
WEIGHT(KG/M): 2.55




K145-30A

WIDTH(MM): 145
THICKNESS(MM): 30
WEIGHT(KG/M): 2.89




K140-40A

WIDTH(MM): 140
THICKNESS(MM): 40
WEIGHT(KG/M): 3.4




K150-25D

WIDTH(MM): 150
THICKNESS(MM): 25
WEIGHT(KG/M): 2.62



K150-50B


WIDTH(MM): 150
THICKNESS(MM): 50
WEIGHT(KG/M): 3.85



HOLLOW FLOOR

K150-50D

WIDTH(MM): 150
THICKNESS(MM): 50
WEIGHT(KG/M): 2.92



K299-16A

WIDTH(MM): 299
THICKNESS(MM): 16
WEIGHT(KG/M): 4.03




K140-25B

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 3.27



K140-25D

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.73



K200-30A

WIDTH(MM): 200
THICKNESS(MM): 30A
WEIGHT(KG/M): 4.11




K120-30A

WIDTH(MM): 120
THICKNESS(MM): 30
WEIGHT(KG/M): 2.73




K140-25C

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 3.20



K140-25J

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.71






HOLLOW FLOOR


K140-25K

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.89




K140-25Q

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.53




K140-30B

WIDTH(MM): 140
THICKNESS(MM): 30
WEIGHT(KG/M): 3.23




K145-21A

WIDTH(MM): 145
THICKNESS(MM): 21
WEIGHT(KG/M): 2.84




K140-25M

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.53




S140-25S

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.66



K40-30C

WIDTH(MM): 140
THICKNESS(MM): 30
WEIGHT(KG/M): 3.02



K145-23A


WIDTH(MM): 145
THICKNESS(MM): 23
WEIGHT(KG/M): 2.83



HOLLOW FLOOR


K146-23A

WIDTH(MM): 146
THICKNESS(MM): 23
WEIGHT(KG/M): 2.92




K148-23A

WIDTH(MM): 148
THICKNESS(MM): 23
WEIGHT(KG/M): 2.7




K150-40A

WIDTH(MM): 150
THICKNESS(MM): 40
WEIGHT(KG/M): 3.75



K150-50C

WIDTH(MM): 150
THICKNESS(MM): 50
WEIGHT(KG/M): 4.55







WOOD-PLASTIC SOLID FLOOR SERIES




WOOD-PLASTIC SOLID FLOOR SERIES

Classic Decking is perfect for building the place you are surrounded by your own style, but not confused about maintenance concerns. Attractive, easy install and slip-resistance walking surface.




S75-25A

WIDTH(MM): 75
THICKNESS(MM): 25
WEIGHT(KG/M): 2.32




S100-21A

WIDTH(MM): 100
THICKNESS(MM): 21
WEIGHT(KG/M): 2.59




S140-18A

WIDTH(MM): 140
THICKNESS(MM): 18
WEIGHT(KG/M): 3.13



S140-20A

WIDTH(MM): 140
THICKNESS(MM): 20
WEIGHT(KG/M): 3.55





WOOD-PLASTIC SOLID FLOOR SERIES


S140-22A

WIDTH(MM): 140
THICKNESS(MM): 22
WEIGHT(KG/M): 3.87



S140-22.7A

WIDTH(MM): 140
THICKNESS(MM): 22.7
WEIGHT(KG/M): 3.93




S140-25A

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 4.41



S140-25B

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 4.44



S140-25C

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 4.02




S140-25D

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 4.08




S140-25E

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 4.65



S140-25F

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 3.77



WOOD-PLASTIC SOLID FLOOR SERIES


S140-25G

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 4.48




S145-20A

WIDTH(MM): 145
THICKNESS(MM): 20
WEIGHT(KG/M): 3.92




S140-30A

WIDTH(MM): 140
THICKNESS(MM): 30
WEIGHT(KG/M): 5.0



S140-35A

WIDTH(MM): 140
THICKNESS(MM): 35
WEIGHT(KG/M): 5.38



S140-37A

WIDTH(MM): 140
THICKNESS(MM): 37
WEIGHT(KG/M): 6.14




S140-40A

WIDTH(MM): 140
THICKNESS(MM): 40
WEIGHT(KG/M): 7.5




S140-40B

WIDTH(MM): 140
THICKNESS(MM): 40
WEIGHT(KG/M): 6.63



S140-40C

WIDTH(MM): 140
THICKNESS(MM): 40
WEIGHT(KG/M): 6.63






WOOD-PLASTIC SOLID FLOOR SERIES




S140-40D

WIDTH(MM): 140
THICKNESS(MM): 40
WEIGHT(KG/M): 7.26




S150-25A

WIDTH(MM): 150
THICKNESS(MM): 25
WEIGHT(KG/M): 4.71




S150-48A


WIDTH(MM): 150
THICKNESS(MM): 48
WEIGHT(KG/M): 8.2



S150-50B

WIDTH(MM): 150
THICKNESS(MM): 50
WEIGHT(KG/M): 8.19





WOOD-PLASTIC FLOOR SERIES (SECOND GENERATION)

K100-20A

WIDTH(MM): 100
THICKNESS(MM): 20
WEIGHT(KG/M): 1.34




GS140-22C

WIDTH(MM): 140
THICKNESS(MM): 22
WEIGHT(KG/M): 2.96



GK140-23C


WIDTH(MM): 140
THICKNESS(MM): 30
WEIGHT(KG/M): 2.74



GK148-22A

(Two-color co-extrusion)

WIDTH(MM): 148
THICKNESS(MM): 22
WEIGHT(KG/M): 2.75



GS140-23A

(Two-color co-extrusion)

WIDTH(MM): 140
THICKNESS(MM): 23
WEIGHT(KG/M): 3.96




GS140-23H

WIDTH(MM): 140
THICKNESS(MM): 23
WEIGHT(KG/M): 2.95




GK140-25A

WIDTH(MM): 140
THICKNESS(MM): 25
WEIGHT(KG/M): 2.66



GK145-21C

WIDTH(MM): 145
THICKNESS(MM): 21
WEIGHT(KG/M): 2.26



GK100-20B

WIDTH(MM): 100
THICKNESS(MM): 20
WEIGHT(KG/M): 1.45





WALLBOARD SERIES

(GREAT WALL PANEL)

K218-28A

WIDTH(MM): 218
THICKNESS(MM): 28
WEIGHT(KG/M): 3.14



K219-26B

WIDTH(MM): 219
THICKNESS(MM): 26
WEIGHT(KG/M): 2.92



K169-28A

WIDTH(MM): 169
THICKNESS(MM): 28
WEIGHT(KG/M): 2.37



K192-13A

WIDTH(MM): 219
THICKNESS(MM): 26
WEIGHT(KG/M): 3.43




K200-17A

WIDTH(MM): 200
THICKNESS(MM): 17
WEIGHT(KG/M): 2.21



K49-56A

WIDTH(MM): 49
THICKNESS(MM): 56
WEIGHT(KG/M): 1.17



WALLBOARD SERIES

(GREAT WALL PANEL SECOND GENERATION)

GK219-26G

WIDTH(MM): 219
THICKNESS(MM): 26
WEIGHT(KG/M): 2.45



GK219-26A

WIDTH(MM): 219
THICKNESS(MM): 26
WEIGHT(KG/M): 2.91



GK219-26F

WIDTH(MM): 219
THICKNESS(MM): 26
WEIGHT(KG/M): 2.69



GK219-26C

WIDTH(MM): 219
THICKNESS(MM): 26
WEIGHT(KG/M): 3.43



GK219-26D

WIDTH(MM): 219
THICKNESS(MM): 26
WEIGHT(KG/M): 2.91



GK219-26K

WIDTH(MM): 219
THICKNESS(MM): 26
WEIGHT(KG/M): 2.53



GK219-26Y

WIDTH(MM): 219
THICKNESS(MM): 26
WEIGHT(KG/M): 2.91



GK169-26A

WIDTH(MM): 169
THICKNESS(MM): 26
WEIGHT(KG/M): 2.19





WALLBOARD SERIES

(GREAT WALL PANEL SECOND GENERATION)

GK219-26G

WIDTH(MM):219
THICKNESS(MM): 26
WEIGHT(KG/M): 2.45




GK219-26A

WIDTH(MM): 219
THICKNESS(MM):26
WEIGHT(KG/M): 2.91




GK219-26F

WIDTH(MM): 219
THICKNESS(MM): 26
WEIGHT(KG/M): 2.69



GK49.5-56A

WIDTH(MM): 49.5
THICKNESS(MM): 56
WEIGHT(KG/M): 1.11



WALLBOARD SERIES

S148-21A

WIDTH(MM): 148
THICKNESS(MM): 21
WEIGHT(KG/M): 1.56



S156-20.5A

WIDTH(MM): 156
THICKNESS(MM): 20.5
WEIGHT(KG/M): 1.47



S156-20.5B

WIDTH(MM): 156
THICKNESS(MM): 20.5
WEIGHT(KG/M): 1.51



S156-21A

WIDTH(MM): 156
THICKNESS(MM): 21
WEIGHT(KG/M): 1.83



GK156-21C (SECOND GENERATION)

WIDTH(MM): 156
THICKNESS(MM): 21
WEIGHT(KG/M): 1.67



GS156-21D (SECOND GENERATION)

WIDTH(MM): 156
THICKNESS(MM): 21
WEIGHT(KG/M): 1.69





OUTDOOR FENCE SERIES



* FULL PARTITION FENC



* SEMI-SEALED FENCE




* PRIVACY FENCE

OUTDOOR WALL PANEL

K205-20B

WIDTH(MM): 205
THICKNESS(MM): 20
WEIGHT(KG/M): 2.9



K180-25A

WIDTH(MM): 180
THICKNESS(MM): 25
WEIGHT(KG/M): 2.35




K161.5-20A

WIDTH(MM): 161.5
THICKNESS(MM): 20
WEIGHT(KG/M): 2.25



GK161.5-20C (SECOND GENERATION)

WIDTH(MM): 161.5
THICKNESS(MM): 20
WEIGHT(KG/M): 2.2



K205-20A

WIDTH(MM): 205
THICKNESS(MM): 20
WEIGHT(KG/M): 2.77




K205-21A

WIDTH(MM): 205
THICKNESS(MM): 21
WEIGHT(KG/M): 2.82



K205-20P

WIDTH(MM): 205
THICKNESS(MM): 20
WEIGHT(KG/M): 3.03



K173-36A

WIDTH(MM): 173
THICKNESS(MM): 36
WEIGHT(KG/M): 3.75





OUTDOOR WALL PANEL

K160-18A

WIDTH(MM): 160
THICKNESS(MM): 18
WEIGHT(KG/M): 1.86



K100-20A

WIDTH(MM): 180
THICKNESS(MM): 25
WEIGHT(KG/M): 2.35



S120-13A

WIDTH(MM): 161.5
THICKNESS(MM): 20
WEIGHT(KG/M): 2.25



K172-28A

WIDTH(MM): 161.5
THICKNESS(MM): 20
WEIGHT(KG/M): 2.2



K180-28A


WIDTH(MM): 205
THICKNESS(MM): 20
WEIGHT(KG/M): 2.77



COLUMN、GUARDRAIL GALLERY FRAME、SERIES


K25-25A

WIDTH(MM): 25
THICKNESS(MM): 25
WEIGHT(KG/M): 0.46



K50-30B

WIDTH(MM): 50
THICKNESS(MM): 30
WEIGHT(KG/M): 1.15




K50-50A

WIDTH(MM): 50
THICKNESS(MM): 50
WEIGHT(KG/M): 1.3




K80-80A

WIDTH(MM): 80
THICKNESS(MM): 80
WEIGHT(KG/M): 2.67




K83-32A

WIDTH(MM): 83
THICKNESS(MM): 32
WEIGHT(KG/M): 1.63




K90-90A

WIDTH(MM): 90
THICKNESS(MM): 90
WEIGHT(KG/M): 5.20




K100-100A

WIDTH(MM): 100
THICKNESS(MM): 100
WEIGHT(KG/M): 5.12



K120-120A


WIDTH(MM): 120
THICKNESS(MM): 120
WEIGHT(KG/M): 6.45



COLUMN、GUARDRAIL GALLERY FRAME、SERIES

K150-150A

WIDTH(MM): 150
THICKNESS(MM): 150
WEIGHT(KG/M): 9.86





K150-150B

WIDTH(MM): 150
THICKNESS(MM): 150
WEIGHT(KG/M): 9.07




K200-200A

WIDTH(MM): 200
THICKNESS(MM): 200
WEIGHT(KG/M): 14.97




K101-101A

WIDTH(MM): 101
THICKNESS(MM): 101
WEIGHT(KG/M): 5.06




K101-101B

WIDTH(MM): 101
THICKNESS(MM): 101
WEIGHT(KG/M): 5




K101-101C

WIDTH(MM): 101
THICKNESS(MM): 101
WEIGHT(KG/M): 5.16




GK100-100C (SECOND GENERATION)

WIDTH(MM): 100
THICKNESS(MM): 100
WEIGHT(KG/M): 4.64



HANDRAIL INSTALLATION



Square Post



Trabecula



Vertical bar



Hardware connector



Base Cover



Top Post



COLUMN、GUARDRAIL GALLERY FRAME、SERIES


K91-46A

WIDTH(MM): 91
THICKNESS(MM): 46
WEIGHT(KG/M): 2.52




K80-50A

WIDTH(MM): 80
THICKNESS(MM): 50
WEIGHT(KG/M): 2.22



K60-40A

WIDTH(MM): 60
THICKNESS(MM): 40
WEIGHT(KG/M): 1.55



K60-40B

WIDTH(MM): 60
THICKNESS(MM): 40
WEIGHT(KG/M): 1.2



K60-42C

WIDTH(MM): 60
THICKNESS(MM): 42
WEIGHT(KG/M): 1.4



K100-20B

WIDTH(MM): 100
THICKNESS(MM): 20
WEIGHT(KG/M): 1.45



K100-30A

WIDTH(MM): 100
THICKNESS(MM): 30
WEIGHT(KG/M): 1.55



K100-50A


WIDTH(MM): 100
THICKNESS(MM): 50
WEIGHT(KG/M): 2.85



COLUMN、GUARDRAIL GALLERY FRAME、SERIES

K100-50D

WIDTH(MM): 100
THICKNESS(MM): 50
WEIGHT(KG/M): 2.36



K150-60A

WIDTH(MM): 150
THICKNESS(MM): 60
WEIGHT(KG/M): 3.34



K150-60B

WIDTH(MM): 150
THICKNESS(MM): 60
WEIGHT(KG/M): 3.67



K160-60A

WIDTH(MM): 160
THICKNESS(MM): 60
WEIGHT(KG/M): 4.00



K160-80A

WIDTH(MM): 160
THICKNESS(MM): 80
WEIGHT(KG/M): 5.35



K200-50A

WIDTH(MM): 200
THICKNESS(MM): 50
WEIGHT(KG/M): 3.78



K200-80A

WIDTH(MM): 200
THICKNESS(MM): 80
WEIGHT(KG/M): 6.09



K200-100A


WIDTH(MM): 200
THICKNESS(MM): 100
WEIGHT(KG/M): 7.85



COLUMN、 GUARDRAIL GALLERY FRAME、 SERIES

K220-60A


WIDTH(MM): 220
THICKNESS(MM): 60
WEIGHT(KG/M): 6.02



GK60-42B

(SECOND GENERATION)


WIDTH(MM): 60
THICKNESS(MM): 42
WEIGHT(KG/M): 1.25



GK100-50C

(SECOND GENERATION)


WIDTH(MM): 100
THICKNESS(MM):50
WEIGHT(KG/M): 2.34



GK120-62A

(SECOND GENERATION)

WIDTH(MM): 120
THICKNESS(MM): 62
WEIGHT(KG/M): 3.11






COLUMN、GUARDRAIL GALLERY FRAME、SERIES


S50-50C

WIDTH(MM): 49
THICKNESS(MM): 49
WEIGHT(KG/M): 2.22




S40-5A

WIDTH(MM): 40
THICKNESS(MM): 5
WEIGHT(KG/M): 0.30




S41-41A

WIDTH(MM): 41
THICKNESS(MM): 41
WEIGHT(KG/M): 0.55




S50-50D

WIDTH(MM): 50
THICKNESS(MM): 50
WEIGHT(KG/M): 0.73



S130-40A


WIDTH(MM): 130
THICKNESS(MM): 40
WEIGHT(KG/M): 1.78



GS62-37A


(SECOND GENERATION)

WIDTH(MM): 62
THICKNESS(MM): 37
WEIGHT(KG/M): 0.67



S70-25A


WIDTH(MM): 70
THICKNESS(MM): 25
WEIGHT(KG/M): 1.89



COLUMN、GUARDRAIL GALLERY FRAME、SERIES


S70-21A

WIDTH(MM): 72
THICKNESS(MM): 21
WEIGHT(KG/M): 1.03





K146-45A

WIDTH(MM): 146
THICKNESS(MM): 45
WEIGHT(KG/M): 2.91



K146-45B

WIDTH(MM): 146
THICKNESS(MM): 45
WEIGHT(KG/M): 3.02



ACCESSORIES




7SA02




7SA06



7SA05



7SA03



5D48S48



2F-1



2F-2




SAUNA BOARD SERIES

SAUNA BOARD SERIES


S30-4A

WIDTH(MM): 30
THICKNESS(MM): 4
WEIGHT(KG/M): 0.18




S40-4A

WIDTH(MM): 40
THICKNESS(MM): 4
WEIGHT(KG/M): 0.24




S42-4A

WIDTH(MM): 42
THICKNESS(MM): 4
WEIGHT(KG/M): 0.24



S47-4A

WIDTH(MM): 47
THICKNESS(MM): 4
WEIGHT(KG/M): 0.29



S69-9A

WIDTH(MM): 69
THICKNESS(MM): 9
WEIGHT(KG/M): 0.75




S70-9A

WIDTH(MM): 70
THICKNESS(MM): 9
WEIGHT(KG/M): 0.65



S70-10A

WIDTH(MM): 70
THICKNESS(MM): 10
WEIGHT(KG/M): 0.9



S70-10BT


WIDTH(MM): 70
THICKNESS(MM): 10
WEIGHT(KG/M): 0.7



SAUNA BOARD SERIES


S70-10D

WIDTH(MM): 70
THICKNESS(MM): 10
WEIGHT(KG/M): 0.67




S70-11A

WIDTH(MM): 70
THICKNESS(MM): 11
WEIGHT(KG/M): 0.82




S70-11C

WIDTH(MM): 70
THICKNESS(MM): 11
WEIGHT(KG/M): 0.73



S71-10B

WIDTH(MM): 71
THICKNESS(MM): 10
WEIGHT(KG/M): 0.75




S72-10A

WIDTH(MM): 72
THICKNESS(MM): 10
WEIGHT(KG/M): 0.7



S72-11A

WIDTH(MM): 72
THICKNESS(MM): 11
WEIGHT(KG/M): 1.00



S72-11B

WIDTH(MM): 72
THICKNESS(MM): 11
WEIGHT(KG/M): 0.81




S72-12A

WIDTH(MM): 72
THICKNESS(MM): 12
WEIGHT(KG/M): 1.12



S73-7A

WIDTH(MM): 73
THICKNESS(MM): 7
WEIGHT(KG/M): 0.66



S142-10A

WIDTH(MM): 142
THICKNESS(MM): 10
WEIGHT(KG/M): 1.85



S95-9.4A

WIDTH(MM): 95
THICKNESS(MM): 9.4
WEIGHT(KG/M): 1.11



S146-10A

WIDTH(MM): 146
THICKNESS(MM): 10
WEIGHT(KG/M): 1.91





DIY DECKING

- 1.APPLY IN PRIVATE VILLA, GARDEN, BALCONY, PATHWAY ETC.
- 2.EXQUISITE SIZE AND EASY LOCKING ENABLE ENJOY THE DIY INSTALLATION
- 3.ZERO MAINTENANCE AND UNRIVALED COMFORT

DIY DECKING


30S30-A

WIDTH(MM):300*300



30S30-B

WIDTH(MM):300*300



30S30-C

WIDTH(MM):300*300



30S30-D

WIDTH(MM):300*300




30S30-E

WIDTH(MM):300*300



30S30-F

WIDTH(MM):300*300




30S30-G

WIDTH(MM):300*300



30S30-H

WIDTH(MM):300*300






BENCH BAR SERIES

BENCH BAR SERIES

S50-20A

WIDTH(MM):50
THICKNESS(MM): 20
WEIGHT(KG/M): 1.32




S50-50B

WIDTH(MM): 50
THICKNESS(MM):50
WEIGHT(KG/M): 3.31



S57-32A

WIDTH(MM): 57
THICKNESS(MM): 32
WEIGHT(KG/M): 2.48



S55-15A

WIDTH(MM): 55
THICKNESS(MM): 15
WEIGHT(KG/M): 1.1




S60-15A

WIDTH(MM): 60
THICKNESS(MM): 15
WEIGHT(KG/M): 1.2




S70-22A

WIDTH(MM): 70
THICKNESS(MM): 22
WEIGHT(KG/M): 2.05




S70-35A

WIDTH(MM): 70
THICKNESS(MM): 35
WEIGHT(KG/M): 3.26



S70-50A

WIDTH(MM): 70
THICKNESS(MM): 50
WEIGHT(KG/M): 4.65





BENCH BAR SERIES

S80-20A

WIDTH(MM): 80
THICKNESS(MM):20
WEIGHT(KG/M): 2.11




S80-40A

WIDTH(MM): 80
THICKNESS(MM): 40
WEIGHT(KG/M): 4.25



S90-25A

WIDTH(MM): 90
THICKNESS(MM): 25
WEIGHT(KG/M): 2.98



S90-40A

WIDTH(MM): 90
THICKNESS(MM): 40
WEIGHT(KG/M): 4.78




S80-30A

WIDTH(MM):80
THICKNESS(MM): 30
WEIGHT(KG/M): 3.18



S83-10A

WIDTH(MM): 83
THICKNESS(MM): 10
WEIGHT(KG/M): 1.1



S90-30A

WIDTH(MM): 90
THICKNESS(MM): 30
WEIGHT(KG/M): 3.56



S97-12A

WIDTH(MM): 97
THICKNESS(MM): 12
WEIGHT(KG/M): 1.57



BENCH BAR SERIES

S100-32A

WIDTH(MM): 100
THICKNESS(MM): 32
WEIGHT(KG/M): 5.0



S105-25A

WIDTH(MM): 105
THICKNESS(MM): 25
WEIGHT(KG/M): 3.53



S147-7A

WIDTH(MM): 147
THICKNESS(MM): 7
WEIGHT(KG/M): 1.09



S235-12A

WIDTH(MM): 235
THICKNESS(MM): 12
WEIGHT(KG/M): 3.75



S100-50A

WIDTH(MM): 100
THICKNESS(MM): 50
WEIGHT(KG/M): 6.6




S140-9A

WIDTH(MM): 140
THICKNESS(MM): 9
WEIGHT(KG/M): 1.64



S149-12A

WIDTH(MM): 149
THICKNESS(MM): 12
WEIGHT(KG/M): 2.41







OTHER SERIES

OTHER SERIES


S20-11A

WIDTH(MM): 20
THICKNESS(MM): 11
WEIGHT(KG/M): 0.15





K60*24A

WIDTH(MM): 60
THICKNESS(MM): 24
WEIGHT(KG/M): 1.12




K90*24A

WIDTH(MM): 90
THICKNESS(MM): 24
WEIGHT(KG/M): 1.49




K80-10A

WIDTH(MM): 80
THICKNESS(MM): 10
WEIGHT(KG/M): 0.69




K40-20A

WIDTH(MM): 70
THICKNESS(MM): 20
WEIGHT(KG/M): 0.71




S40-25A

WIDTH(MM): 70
THICKNESS(MM): 25
WEIGHT(KG/M): 1.00




K40-30B

WIDTH(MM): 40
THICKNESS(MM): 30
WEIGHT(KG/M): 0.97



K50-30A

WIDTH(MM): 50
THICKNESS(MM): 30
WEIGHT(KG/M): 1.35





FENCE INSTALLATION PROCESS



01 **First step**
Drive in expansion screws.



02 **The second step**
Measurement of base intervals.



03 **The third step**
Insert aluminum alloy column.



04 **Step four**
Installation of lower tabs and
fence panels.



05 **The fifth step**
Load the corner code on both sides
of the upper clamping strip.



06 **Step six**
Installation of column caps




07 **Step seven**
Tear off the aluminum alloy
protective film




08 **Step eight**
Final effect display


OUTDOOR FLOOR INSTALLATION PROCESS




01 **First step**
Keel laying




02 **The second step**
Secure the edges




03 **The third step**
Place the floor



04 **Step four**
Secure the floor



05 **The fifth step**
Install screws



06 **Step six**
Secure edges






MULTIPLE COLORS CUSTOMIZABLE


(FIRST-GENERATION PRODUCT)




■ MAHOGANY(RW)




■ MAPLE LEAF RED(MA)



■ REDDISH BROWN(RB)



■ TEAK(TK)



■ YELLOWISH BROWN(SB)



■ DARK COFFEE(DC)



■ LIGHT COFFEE(LC)



■ LIGHT GREY(LG)

FIRST-GENERATION PRODUCT

MULTIPLE SURFACE TEXTURES TO CUSTOMIZE



■ 3D EMBOSSING



■ 3D EMBOSSING
(KNIFE CUT)




■ 3D EMBOSSING
(FLAME PATTERN)



■ 2D EMBOSSING
(BARK PATTERN)



■ 2D EMBOSSING
(TREE CORE)



■ 2D EMBOSSING
(WILLOW STRIPE)



■ SANDING



■ BROAD STRIPE



■ STRIA



MULTIPLE COLORS CUSTOMIZABLE

(SECOND GENERATION PRODUCT)



■ MAPLE



■ TEAK



■ ROSEWOOD



■ RED SANDALWOOD



■ SHA BAI



■ ANCIENT WOOD



■ LIGHT GRAY



■ CARBON BLACK

SECOND GENERATION PRODUCT

MULTIPLE SURFACE TEXTURES TO CUSTOMIZE



■ CO-EXTRUSION
PATTERN



■ KNIFE CUT



■ DRAWING GRAIN



■ PITTING



■ DRAWING GRINDING

